

Saw Cut Application

For installation in existing concrete or asphalt roads. Saw-cut loops are cut into the surface and sealed with loop sealant. If you plan to bury loops please go back and select "Direct Burial Application" to view the proper diagrams.

Loop Sizes Needed:

Reverse Loop:	44' Perimeter Loop	
BD Loops Part#: SC 44-50		
Description:	6' x 16' Loop with 50' of lead-in	
This Loop will have approximately 48 " of detection height.		

Optional Exit Loop:	44' Perimeter Loop	
BD Loops Part#:	SC 44-100	
Description: 6' x 16' Loop with 100' of lea		
This Loop will have approximately 48 " of detection height.		

These are standard size loops. Standard size loops can ship same day from our Placentia, CA location. *Contact your BD Loops Distributor for more information*.

Notes about Overhead Doors:

Overhead doors require a minimum of 2 loops to properly protect the door path as pictured in red above:

- An Inside Reverse Loop or Exit Loop
- An Outside Reverse Loop

Reverse Loops will hold the door open, or reverse a closing door if a vehicle enters or stops within the door path. The inside reverse loop can be connected to the exit loop function if you desire. An **Exit Loop** will do everything a reverse loop does and will also open the door automatically when a car drives over it.

If there is space available on the secure side of the property an additional exit loop can be installed. The additional exit loop will allow more time for the door to open before vehicles reach the system. Customers enjoy the added benefit of not having to wait as long to exit the door.

If the site has multiple doors, each loop must maintain a minimum distance of 4 feet from one another.


Don't Forget Loop Sealant!

BD-LS Loop Shield is available in Black or Gray.

Self Leveling • 100% Solids Low VOC • Quick Skin Time Made in the USA

3/16"	Wide	Blade /	Groove
Seal	ant Co	overage	Chart

Cut Depth	Coverage per Tube	Coverage per Case	
1 ¹ / ₄ "	20'	240'	,
1 ¹ / ₂ "	16'	192'	V



BD Loops

Saw-Cut Loop Sizes

The standard size loops listed in the chart to the right are available for same day shipping if BD Loops receives a PO from a distributor by 3:30 pm PST.

Need a bigger loop or longer lead-in lengths?

Custom size loops are available and can ship same day if the PO is received by 12:00 pm PST.

Need to Test Loops?



The **BD-Megger** is an essential testing device that checks for the most common loop issue: a nick in the wire allowing current to leak to ground.



The E-Z Detector Checker quickly checks components upstream from the loop including the detector module, harness wiring, and circuit board loop connections.

BD Loops Preformed Saw-Cut Loop Size Chart

	Residential Vehicle	Commercial Vehicle	Lead-In	BD Loops
Loop Size	Application	Application	Length	Part Number
14 Foot Loop	Drive Thru Lane /		20'	SC 14-20
3x4ft	Parking	N/A	50'	SC 14-50
			20'	SC 16-20
16 Foot Loop	8-10ft	N/A	50'	SC 16-50
3x5ft or 4x4ft	Driveway Width			
18 Foot Loop	0.404		20'	SC 18-20
	9-10ft	N/A	50'	SC 18-50
3x6ft or 4x5ft	Driveway Width			
20 Foot Loop	10-11ft		20'	SC 20-20
	Driveway Width	N/A	50'	SC 20-50
3x7ft or 4x6ft				
24 Foot Loop	4x8ft loop pattern	6x6ft loop pattern	20'	SC 24-20
4x8ft or 6x6ft	12ft Driveway Width	10ft Driveway Width	50'	SC 24-50
42011 01 02011	,	,,	100′	SC 24-100
28 Foot Loop	4x10ft loop pattern	6x8ft loop pattern	50'	SC 28-50
4x10ft or 6x8ft	14ft Driveway Width	12ft Driveway Width	100'	SC 28-50
			20'	SC 32-20
32 Foot Loop	4x12ft loop pattern	6x10ft loop pattern	50'	SC 32-50
4x12ft or 6x10ft	16ft Driveway Width	14ft Driveway Width	100'	SC 32-100
36 Foot Loop			20'	SC 36-20
3010012000		16ft Driveway Width	50'	SC 36-50
6x12ft			100′	SC 36-100
40 Foot Loop				
		18ft Driveway Width	50'	SC 40-50
6x14ft			100′	SC 40-100
44 Foot Loop			20'	SC 44-20
6x16ft		20ft Driveway Width	50'	SC 44-50
			100'	SC 44-100
52 Foot Loop		24# Drivouwy Width	20'	SC 52-20
6x20ft		24ft Driveway Width	50' 100'	SC 52-50 SC 52-100
			100	30 32-100

Part Numbers:

Type of Loop 🍃

Loop Size Perimeter (ft) In this example 24' (4x8' or 6x6').

SC = Saw-Cut RL or EL = Direct Burial