

Direct Burial Application

For installation in concrete pours, gravel roads, dirt roads, under pavers, or underneath asphalt. If you plan to cut in these loops please go back and select "Saw-Cut Application" to view the proper diagrams.

Loop Sizes Needed:

Reverse Loop: 52' Perimeter Loop

BD Loops Part#: RL 52-40

Description: 6' x 20' Loop with 40' of lead-in

This Loop will have approximately 48" of detection height.

Optional Exit Loop: 52' Perimeter Loop

BD Loops Part#: EL 52-100

Description: 6' x 20' Loop with 100' of lead-in

This Loop will have approximately 48" of detection height.

These are standard size loops. Standard size loops can ship same day from our Placentia, CA location. *Contact your BD Loops Distributor for more information.*

Notes about Overhead Doors:

Overhead doors require a minimum of 2 loops to properly protect the door path as pictured in red above:

- An Inside Reverse Loop or Exit Loop
- An Outside Reverse Loop

Reverse Loops will hold the door open, or reverse a closing door if a vehicle enters or stops within the door path. The inside reverse loop can be connected to the exit loop function if you desire. An Exit Loop will do everything a reverse loop does and will also open the door automatically when a car drives over it.

If there is space available on the secure side of the property an additional exit loop can be installed. The additional exit loop will allow more time for the door to open before vehicles reach the system. Customers enjoy the added benefit of not having to wait as long to exit the door.

If the site has multiple doors, each loop must maintain a minimum distance of 4 feet from one another.

BD Loops Saw-Cut Loops Are Available!

- Save Time Quick and Easy Installation
- Save on Materials Loop Sealant, Backer Rod
- Don't Have to Cut a Perfect Size Groove!
- Extra Protection: Durable Thick Outer Jacket -Holds up in cracked up surfaces



BD Loops

Direct Burial Loop Sizes

The standard size loops listed in the chart to the right are available for same day shipping if BD Loops receives a PO from a distributor by 3:30 pm PST.

Need a bigger loop or longer lead-in lengths?

Custom size loops are available and can ship same day if the PO is received by 12:00 pm PST.

Need to Test Loops?



The **BD-Megger** is an essential testing device that checks for the most common loop issue: a nick in the wire allowing current to leak to ground.



The E-Z Detector Checker quickly checks components upstream from the loop including the detector module, harness wiring, and circuit board loop connections.

BD Loops Preformed Direct Burial Loop Size Chart

Loop Size	Residential Vehicle Application	Commercial Vehicle Application	Lead-In Length	BD Loops Part Number
14 Foot Loop		Аррисаціон	40'	RL 14-40
14 FOOT LOOP	Drive Thru Lane / Parking	N/A	60'	EL 14-60
3x4ft				
16 Foot Loop	8-10ft		40'	RL 16-40
,		N/A	60'	EL 16-60
3x5ft or 4x4ft	Driveway Width			
18 Foot Loop	9-10ft		40'	RL 18-40
	Driveway Width	N/A	60'	EL 18-60
3x6ft or 4x5ft	Driveway width			
20 Foot Loop	10-11ft Driveway Width	N/A	40'	RL 20-40
			60'	EL 20-60
3x7ft or 4x6ft				
24 Foot Loop	4x8ft loop pattern 12ft Driveway Width	6x6ft loop pattern 10ft Driveway Width	40'	RL 24-40
4 00 0 00			60'	EL 24-60
4x8ft or 6x6ft			100′	EL 24-100
28 Foot Loop	4x10ft loop pattern	6x8ft loop pattern		
4x10ft or 6x8ft	14ft Driveway Width	12ft Driveway Width	60′	EL 28-60
TAZOTE OF GAOTE	The Differral Wilder	2210 2111 211 41 111 111	100′	EL 28-100
32 Foot Loop	4x12ft loop pattern 16ft Driveway Width	6x10ft loop pattern 14ft Driveway Width	40′	RL 32-40
4x12ft or 6x10ft			60'	EL 32-60
431211 01 031011		,	100′	EL 32-100
36 Foot Loop		16ft Driveway Width	40′	RL 36-40
6x12ft			60′	EL 36-60
			100′	EL 36-100
40 Foot Loop		18ft Driveway Width	60'	EL 40-60
6x14ft			100'	EL 40-60 EL 40-100
44.5			40'	RL 44-40
44 Foot Loop		20ft Driveway Width	60'	EL 44-60
6x16ft			100'	EL 44-100
F2 Foot Loop			40'	RL 52-40
52 Foot Loop		24ft Driveway Width	60'	EL 52-60
6x20ft			100′	EL 52-100

How to Read BD Loops

Part Numbers:

Type of Loop

RL or EL = Direct Burial

SC = Saw-Cut

24)-(40)

RL

Lead-in Length (ft)

Loop Size Perimeter (ft)

In this example 24' (4x8' or 6x6').